



## 5. Testing Data

Metacaulk® Firestop Pillows are classified by Underwriters Laboratories as a Fill, Void or Cavity Material. For specific test criteria see UL Fire Resistance Directory or call RectorSeal. Metacaulk® Firestop Pillows were tested to a positive pressure at a minimum .01 inches of water in accordance with UL 1479 and ASTM E 814 test standards.

## 6. Storage & Handling

Metacaulk® Firestop Pillows should be stored between 0°F and 150°F. For easier installation, bring pillows to room temperature before installing. Keep products stored under protective cover, in their original containers. A stock rotation program is recommended.

## 7. Availability

Metacaulk® Firestop Pillows are packaged 10 per case.

## 8. Limitations

To be used only in the tested configurations or as recommended by RectorSeal.

## 9. Cautions

**PRECAUTIONS:** Do not take internally.  
May be harmful if swallowed.

**KEEP OUT OF REACH OF CHILDREN.**

### **METRO SUPPLY COMPANY**

12 Andrews Drive

Woodland Park, NJ 07424

Telephone: 973-237-1551

Fax: 973-237-1552

Internet: [www.metrosupplycompany.com](http://www.metrosupplycompany.com)

Email: [info@metro-supply-co.com](mailto:info@metro-supply-co.com)

## 10. LIMITED WARRANTY

RectorSeal makes the Limited Express Warranty that when the instructions for storage and handling of our products are followed we warrant our products to be free from defects. THIS LIMITED EXPRESS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND OF ANY OTHER OBLIGATION ON THE PART OF RECTORSEAL. The sole remedy for breach of the Limited Express Warranty shall be the refund of the purchase price. All other liability is negated and disclaimed, and RectorSeal shall not be liable for incidental or consequential damages.

Suggestions and recommendations covering the use of our products are based on our past experience and laboratory findings. However, as we have no control as to the methods and conditions of application, we only assume responsibility for the uniformity of our products within manufacturing tolerances.